

PANTONE® METALLIC COLORS for KODAK APPROVAL™ XP/XP4 and NX Color Imaging Systems

This PANTONE Color Lookup Table is for use with KODAK APPROVAL Donors DC03, DM03, DY03, DK03 and DS01
 April 21, 2005

Line	COLOR	APPROVAL Click Settings*					sRGB Preview Values**		
		C	M	Y	K	S	R	G	B
1	PANTONE 871 C		-37	-22	-50	12	0.574	0.450	0.285
2	PANTONE 872 C		-37	-22	-55	12	0.638	0.488	0.316
3	PANTONE 873 C		-32	-6	-45	12	0.643	0.480	0.322
4	PANTONE 874 C		-32	-22	-50	12	0.597	0.424	0.286
5	PANTONE 875 C		-32	-22	-55	12	0.631	0.441	0.309
6	PANTONE 876 C		-27	-22	-50	12	0.650	0.423	0.322
7	PANTONE 877 C	-40	-46		-55	12	0.600	0.547	0.546
8	PANTONE 8001 C				-50	12	0.599	0.532	0.514
9	PANTONE 8002 C		-44	-57	-45	12	0.590	0.503	0.464
10	PANTONE 8003 C		-42	-57	-50	12	0.614	0.513	0.459
11	PANTONE 8004 C		-40	-51	-45	12	0.599	0.483	0.409
12	PANTONE 8005 C		-36	-39	-50	12	0.622	0.485	0.386
13	PANTONE 8020 C		-40	-57	-50	12	0.615	0.490	0.448
14	PANTONE 8021 C		-34	-45	-50	12	0.627	0.462	0.403
15	PANTONE 8022 C		-30	-36	-55	12	0.640	0.425	0.346
16	PANTONE 8023 C		-22	-14		12	0.676	0.394	0.294
17	PANTONE 8040 C		-44	-72	-50	12	0.632	0.532	0.522
18	PANTONE 8041 C		-38	-57	-50	12	0.639	0.504	0.484
19	PANTONE 8042 C		-34	-51	-55	12	0.632	0.465	0.436
20	PANTONE 8043 C		-30	-42	-55	12	0.650	0.432	0.392
21	PANTONE 8060 C	-46	-40		-50	12	0.616	0.499	0.520
22	PANTONE 8061 C		-36	-69	-50	12	0.635	0.465	0.500
23	PANTONE 8062 C		-28	-57	-55	12	0.659	0.431	0.480
24	PANTONE 8063 C		-22	-51	-55	12	0.678	0.387	0.445
25	PANTONE 8080 C	-40	-38		-55	12	0.622	0.508	0.558
26	PANTONE 8081 C	-42	-28		-55	12	0.627	0.424	0.535
27	PANTONE 8082 C	-40	-26		-55	12	0.645	0.377	0.533
28	PANTONE 8083 C		-17		-55	12	0.649	0.315	0.515
29	PANTONE 8100 C	-38	-32			12	0.617	0.471	0.567
30	PANTONE 8101 C	-38	-28			12	0.604	0.427	0.552
31	PANTONE 8102 C	-38	-22			12	0.606	0.376	0.549
32	PANTONE 8103 C	-33	-12			12	0.604	0.314	0.540
33	PANTONE 8120 C	-38	-40			12	0.573	0.497	0.532
34	PANTONE 8121 C	-36	-34			12	0.582	0.465	0.555
35	PANTONE 8122 C	-34	-30			12	0.576	0.431	0.555
36	PANTONE 8123 C	-33	-22			12	0.564	0.376	0.552
37	PANTONE 8140 C	-34	-34			12	0.576	0.483	0.574
38	PANTONE 8141 C	-30	-28			12	0.543	0.438	0.557
39	PANTONE 8142 C	-28	-26			12	0.507	0.383	0.545
40	PANTONE 8143 C	-23	-17			12	0.479	0.333	0.542
41	PANTONE 8160 C	-34	-40		-55	12	0.564	0.510	0.547
42	PANTONE 8161 C	-30	-34			12	0.536	0.480	0.553
43	PANTONE 8162 C	-22	-26			12	0.475	0.406	0.567
44	PANTONE 8163 C	-18	-22			12	0.427	0.355	0.553
45	PANTONE 8180 C	-33	-42		-55	12	0.593	0.560	0.584
46	PANTONE 8181 C	-24	-36			12	0.460	0.479	0.582
47	PANTONE 8182 C	-18	-32			12	0.406	0.449	0.600
48	PANTONE 8183 C	-8	-27			12	0.327	0.384	0.563

PANTONE® METALLIC COLORS for KODAK APPROVAL™ XP/XP4 and NX Color Imaging Systems

This PANTONE Color Lookup Table is for use with KODAK APPROVAL Donors DC03, DM03, DY03, DK03 and DS01
 April 21, 2005

Line	COLOR	APPROVAL Click Settings*					sRGB Preview Values**		
		C	M	Y	K	S	R	G	B
49	PANTONE 8200 C	-30	-44		-55	12	0.507	0.524	0.558
50	PANTONE 8201 C	-22	-42		-55	12	0.453	0.509	0.567
51	PANTONE 8202 C	-18	-42			12	0.393	0.505	0.601
52	PANTONE 8203 C	-8	-37			12	0.311	0.473	0.599
53	PANTONE 8220 C	-28	-46		-55	12	0.495	0.532	0.562
54	PANTONE 8221 C	-22	-44		-55	12	0.446	0.514	0.554
55	PANTONE 8222 C	-20	-44			12	0.368	0.498	0.562
56	PANTONE 8223 C	-8	-42			12	0.290	0.493	0.586
57	PANTONE 8240 C	-34	-46		-55	12	0.555	0.534	0.538
58	PANTONE 8241 C	-26	-50		-50	12	0.461	0.527	0.549
59	PANTONE 8242 C	-20	-50		-50	12	0.389	0.519	0.554
60	PANTONE 8243 C	-13			-50	12	0.295	0.513	0.561
61	PANTONE 8260 C	-34			-55	12	0.527	0.566	0.580
62	PANTONE 8261 C	-26		-75	-50	12	0.475	0.545	0.557
63	PANTONE 8262 C	-20		-69	-50	12	0.403	0.518	0.532
64	PANTONE 8263 C	-8		-62	-45	12	0.308	0.511	0.527
65	PANTONE 8280 C	-34		-72	-50	12	0.548	0.551	0.535
66	PANTONE 8281 C	-30		-66	-55	12	0.513	0.557	0.532
67	PANTONE 8282 C	-24		-60	-55	12	0.458	0.557	0.520
68	PANTONE 8283 C	-18		-54	-55	12	0.372	0.557	0.502
69	PANTONE 8300 C	-36		-69	-50	12	0.552	0.543	0.506
70	PANTONE 8301 C	-32		-60	-50	12	0.531	0.569	0.502
71	PANTONE 8302 C	-26		-51	-55	12	0.485	0.570	0.473
72	PANTONE 8303 C	-20		-39	-55	12	0.421	0.575	0.437
73	PANTONE 8320 C	-40		-69	-50	12	0.578	0.543	0.507
74	PANTONE 8321 C	-36		-51	-50	12	0.553	0.555	0.452
75	PANTONE 8322 C	-32		-42	-55	12	0.521	0.562	0.404
76	PANTONE 8323 C	-23		-22	-55	12	0.491	0.579	0.365
77	PANTONE 8340 C	-42		-57	-50	12	0.595	0.557	0.464
78	PANTONE 8341 C	-40		-45	-50	12	0.591	0.560	0.432
79	PANTONE 8342 C	-38		-39	-50	12	0.582	0.566	0.378
80	PANTONE 8343 C	-33		-22	-50	12	0.570	0.579	0.326
81	PANTONE 8360 C	-44		-54	-50	12	0.611	0.556	0.454
82	PANTONE 8361 C	-46		-48	-50	12	0.611	0.552	0.401
83	PANTONE 8362 C		-50	-36	-50	12	0.633	0.567	0.354
84	PANTONE 8363 C			-22	-50	12	0.649	0.574	0.288
85	PANTONE 8380 C			-66	-50	12	0.639	0.573	0.523
86	PANTONE 8381 C		-47	-54	-50	12	0.652	0.569	0.471
87	PANTONE 8382 C		-44	-42	-50	12	0.639	0.542	0.418
88	PANTONE 8383 C		-42	-39	-50	12	0.636	0.518	0.359
89	PANTONE 8400 C	-40	-46		-45	12	0.554	0.500	0.493
90	PANTONE 8401 C	-43	-47		-40	12	0.527	0.473	0.462
91	PANTONE 8402 C	-43	-47		-35	12	0.484	0.432	0.420
92	PANTONE 8403 C	-43	-47		-30	12	0.458	0.404	0.391
93	PANTONE 8420 C	-43	-47		-50	12	0.600	0.524	0.518
94	PANTONE 8421 C	-42	-46		-45	12	0.551	0.480	0.477
95	PANTONE 8422 C	-42	-43		-40	12	0.518	0.444	0.439
96	PANTONE 8423 C		-47		-35	12	0.483	0.406	0.401

PANTONE® METALLIC COLORS for KODAK APPROVAL™ XP/XP4 and NX Color Imaging Systems

This PANTONE Color Lookup Table is for use with KODAK APPROVAL Donors DC03, DM03, DY03, DK03 and DS01
 April 21, 2005

Line	COLOR	APPROVAL Click Settings*					sRGB Preview Values**		
		C	M	Y	K	S	R	G	B
97	PANTONE 8440 C		-34	-60	-55	12	0.636	0.504	0.510
98	PANTONE 8441 C		-30	-54		12	0.655	0.479	0.488
99	PANTONE 8442 C		-26	-48	-55	12	0.656	0.433	0.440
100	PANTONE 8443 C		-24	-45	-55	12	0.660	0.386	0.392
101	PANTONE 8460 C	-40	-42		-50	12	0.579	0.502	0.522
102	PANTONE 8461 C	-40	-38		-50	12	0.567	0.472	0.504
103	PANTONE 8462 C	-38	-36		-45	12	0.536	0.428	0.466
104	PANTONE 8463 C	-43	-32		-40	12	0.511	0.387	0.435
105	PANTONE 8480 C	-18	-37		-40	12	0.359	0.406	0.478
106	PANTONE 8481 C	-20	-32		-45	12	0.405	0.406	0.489
107	PANTONE 8482 C	-8	-37		-35	12	0.297	0.360	0.425
108	PANTONE 8483 C	2	-27		-35	12	0.219	0.310	0.407
109	PANTONE 8500 C	-32		-69	-45	12	0.506	0.496	0.482
110	PANTONE 8501 C	-26		-54	-45	12	0.436	0.478	0.426
111	PANTONE 8502 C	-23	-47		-35	12	0.350	0.392	0.411
112	PANTONE 8503 C	-23	-37		-5	12	0.215	0.237	0.249
113	PANTONE 8520 C			-54	-40	12	0.512	0.458	0.370
114	PANTONE 8521 C		-42	-38	-20	12	0.366	0.332	0.254
115	PANTONE 8522 C	-38		-46	-5	12	0.282	0.282	0.222
116	PANTONE 8523 C	-23		-54	0	12	0.216	0.242	0.205
117	PANTONE 8540 C		-17	-22	-45	12	0.565	0.324	0.307
118	PANTONE 8541 C		-22	-30	-35	12	0.477	0.289	0.279
119	PANTONE 8542 C		-7	-22	-30	12	0.444	0.211	0.235
120	PANTONE 8543 C		-7	-38	-25	12	0.404	0.212	0.259
121	PANTONE 8560 C		-22	-14	-40	12	0.527	0.326	0.260
122	PANTONE 8561 C		-12	-14	-40	12	0.512	0.288	0.258
123	PANTONE 8562 C		-12	-14	-30	12	0.464	0.236	0.229
124	PANTONE 8563 C		-12	-14	-30	12	0.437	0.244	0.206
125	PANTONE 8580 C		-27	-6	-55	12	0.616	0.408	0.236
126	PANTONE 8581 C		-27	-14	-40	12	0.550	0.349	0.210
127	PANTONE 8582 C		-22	2	-40	12	0.515	0.317	0.184
128	PANTONE 8583 C		-17	10	-25	12	0.447	0.261	0.144
129	PANTONE 8600 C		-37	-46	-30	12	0.422	0.345	0.297
130	PANTONE 8601 C		-32	-46	-20	12	0.371	0.299	0.281
131	PANTONE 8602 C		-37		-10	12	0.325	0.269	0.267
132	PANTONE 8603 C	-38	-37		-5	12	0.283	0.241	0.258
133	PANTONE 8620 C		-32	-30	-45	12	0.520	0.373	0.266
134	PANTONE 8621 C		-32	-22	-35	12	0.473	0.348	0.263
135	PANTONE 8622 C		-27	-22	-25	12	0.402	0.298	0.231
136	PANTONE 8623 C		-32	-22	-5	12	0.334	0.265	0.230
137	PANTONE 8640 C		-32	2	-55	12	0.645	0.459	0.214
138	PANTONE 8641 C		-32	10		12	0.684	0.498	0.174
139	PANTONE 8642 C		-37	10		12	0.717	0.528	0.115
140	PANTONE 8643 C		-37	34		12	0.735	0.538	0.000
141	PANTONE 8660 C		-34	-6	-50	12	0.597	0.442	0.209
142	PANTONE 8661 C		-37	10	-40	12	0.594	0.478	0.126
143	PANTONE 8662 C		-42	2	-45	12	0.585	0.491	0.133
144	PANTONE 8663 C			2	-40	12	0.563	0.516	0.074

PANTONE® METALLIC COLORS for KODAK APPROVAL™ XP/XP4 and NX Color Imaging Systems

This PANTONE Color Lookup Table is for use with KODAK APPROVAL Donors DC03, DM03, DY03, DK03 and DS01
 April 21, 2005

Line	COLOR	APPROVAL Click Settings*					sRGB Preview Values**		
		C	M	Y	K	S	R	G	B
145	PANTONE 8680 C		-42	-14	-40	12	0.543	0.451	0.258
146	PANTONE 8681 C	-43		-6	-40	12	0.541	0.488	0.236
147	PANTONE 8682 C	-38		2	-35	12	0.501	0.492	0.195
148	PANTONE 8683 C	-23		10	-50	12	0.459	0.530	0.180
149	PANTONE 8700 C			-30	-35	12	0.520	0.469	0.318
150	PANTONE 8701 C	-38		-14	-35	12	0.483	0.459	0.256
151	PANTONE 8702 C	-23		-14	-40	12	0.417	0.470	0.244
152	PANTONE 8703 C	-8		2	-50	12	0.351	0.485	0.234
153	PANTONE 8720 C	-28		-38	-35	12	0.386	0.424	0.310
154	PANTONE 8721 C	-28		-30	-35	12	0.431	0.464	0.330
155	PANTONE 8722 C	-18		-30	-45	12	0.349	0.457	0.328
156	PANTONE 8723 C	-13		-22	-45	12	0.290	0.496	0.336
157	PANTONE 8740 C	-23		-46	-30	12	0.341	0.404	0.339
158	PANTONE 8741 C	-8		-30	-35	12	0.269	0.407	0.327
159	PANTONE 8742 C	-8		-38	-35	12	0.266	0.408	0.343
160	PANTONE 8743 C	7		-38	-35	12	0.129	0.391	0.354
161	PANTONE 8760 C	-8		-46	-30	12	0.233	0.396	0.371
162	PANTONE 8761 C	12		-46	-30	12	0.108	0.378	0.388
163	PANTONE 8762 C	-8		-70	-20	12	0.250	0.356	0.359
164	PANTONE 8763 C	7	-42		-20	12	0.149	0.325	0.373
165	PANTONE 8780 C	-18	-17		-20	12	0.291	0.234	0.312
166	PANTONE 8781 C	-8	-17		-25	12	0.268	0.261	0.350
167	PANTONE 8782 C	12	3		-45	12	0.271	0.226	0.411
168	PANTONE 8783 C	17	-2		-35	12	0.207	0.225	0.383
169	PANTONE 8800 C	-33	-12		-30	12	0.405	0.240	0.345
170	PANTONE 8801 C	-28	-12		-30	12	0.377	0.240	0.341
171	PANTONE 8802 C	-8	3		-35	12	0.303	0.176	0.323
172	PANTONE 8803 C	-18	3		-35	12	0.347	0.184	0.343
173	PANTONE 8820 C		-17	-46	-45	12	0.556	0.275	0.323
174	PANTONE 8821 C		-12	-46	-45	12	0.548	0.218	0.342
175	PANTONE 8822 C		-12	-62	-30	12	0.456	0.231	0.335
176	PANTONE 8823 C	-28	3		-35	12	0.418	0.178	0.355
177	PANTONE 8840 C		-7	-22	-50	12	0.573	0.259	0.282
178	PANTONE 8841 C		-2	-30	-45	12	0.560	0.200	0.277
179	PANTONE 8842 C		3	-46	-50	12	0.579	0.139	0.330
180	PANTONE 8843 C		13		-45	12	0.544	0.146	0.361
181	PANTONE 8860 C		-12	-22		12	0.633	0.313	0.301
182	PANTONE 8861 C		-7	-22		12	0.629	0.278	0.330
183	PANTONE 8862 C		3	-22		12	0.615	0.208	0.286
184	PANTONE 8863 C		13	-22		12	0.642	0.153	0.295
185	PANTONE 8880 C		-17	-22		12	0.650	0.347	0.345
186	PANTONE 8881 C		-7	-22		12	0.660	0.291	0.349
187	PANTONE 8882 C		-2	-22		12	0.657	0.227	0.329
188	PANTONE 8883 C		13	2		12	0.638	0.191	0.236
189	PANTONE 8900 C		-12	2		12	0.664	0.343	0.256
190	PANTONE 8901 C		-7	2		12	0.701	0.316	0.247
191	PANTONE 8902 C		-7	-6		12	0.711	0.319	0.302
192	PANTONE 8903 C		-2	-6		12	0.738	0.279	0.280

PANTONE® METALLIC COLORS for KODAK APPROVAL™ XP/XP4 and NX Color Imaging Systems

This PANTONE Color Lookup Table is for use with KODAK APPROVAL Donors DC03, DM03, DY03, DK03 and DS01
April 21, 2005

Line	COLOR	APPROVAL Click Settings*					sRGB Preview Values**		
		C	M	Y	K	S	R	G	B
193	PANTONE 8920 C		-17	-6		12	0.662	0.375	0.275
194	PANTONE 8921 C		-12	10		12	0.753	0.346	0.220
195	PANTONE 8922 C		-2	26		12	0.764	0.317	0.119
196	PANTONE 8923 C		8	34		12	0.732	0.281	0.153
197	PANTONE 8940 C		-22	10		12	0.660	0.380	0.189
198	PANTONE 8941 C		-17	18		12	0.695	0.369	0.156
199	PANTONE 8942 C		-7	34		12	0.728	0.347	0.107
200	PANTONE 8943 C		-12	18		12	0.789	0.348	0.075
201	PANTONE 8960 C		-22	2		12	0.655	0.428	0.185
202	PANTONE 8961 C		-22	10		12	0.681	0.398	0.145
203	PANTONE 8962 C		-27	34		12	0.753	0.447	0.006
204	PANTONE 8963 C		-12	34		12	0.751	0.378	0.038

PANTONE® Colors generated may not match PANTONE-identified standards. Consult current PANTONE Publications for accurate color.

*There are many variables in the reproduction of colors generated by the KODAK APPROVAL XP/XP4 or NX Color Imaging Systems, any one of which may affect the quality of the PANTONE Color simulation. For optimal results, we recommend that the following materials and parameters be used:

Paper: 100# Centura Cover
 Donors: DC03, DM03, DY03, DK03, DS01
 Color order: C - M - Y - K - Silver on intermediate
 Host software: XP - version 1.6; NX - version 2.0
 Calibration: Solid Area Density (SAD) calibration executed on prelaminated 100# Centura Cover

**The sRGB Preview Values are provided by KODAK for use in the APPROVAL CONFIGURATION UTILITY(ACU) only. When the sRGB values are used in the definition of the recipe color, the Roam feature of the Harlequin RIP will display a simulation of the requested color. If the sRGB value is left at default, the Roam color for recipe separations will be black. These values are not sRGB equivalents for the PANTONE Colors.

Kodak and Approval are trademarks of Eastman Kodak Company. All trademarks and registered trademarks used herein are property of their respective owners.

PANTONE® and other Pantone, Inc. trademarks are the property of Pantone, Inc. Portions © Pantone, Inc., 2000.